
 鸿新新能源						HXKJ-Q-QPJS-016			
			/	A3		3		1	6
		/			/		/		/

TTV/

A3 2023. 7. 22

 鸿新新能源						HXKJ-Q-QPJS-016			
			/	A3		3		2	6

4.1

4.2

5.1

100-200

	A	A-	B	C
TTV	2 um	um	50um	80um
	1 um	um	30um	60um

D

$90 \pm 0.15^{\circ}$

$90 \pm 0.15^{\circ}$

$90 \pm 0.2^{\circ}$

$90 \pm 0.3^{\circ}$

0.5mm



5

10

1/4

5.2

5.2.1




1 *1

	A	A-	B	C
A	182± 0. 5mm	182± 0. 5mm	182± 0. 5mm	182± 1mm
B	247± 0. 25mm	247± 0. 25mm	247± 0. 5mm	247± 1mm
C	7. 51± 0. mm	7. 51± 0. 5mm	7. 51± 0. 5mm	7. 51± 1 mm

182. *182.

	A	A-	B	C
A	182. ± 0. 5mm	182. ± 0. 5mm	182. ± 0. 5mm	182. ± 1mm
B	247± 0. 25mm	247± 0. 25mm	247± 0. 5mm	247± 1mm
C	7. ± 0. mm	7. ± 0. 5mm	7. ± 0. 5 mm	7. 51± 1 mm

182*183. 75

 HONSUN 鸿新新能源						HXKJ-Q-QPJS-016			
			/	A3		3		4	6


	A	A-	B	C
--	---	----	---	---

182± 0.25mm

182± 0.25mm

A

183.75± 0.25mm

					HXKJ-Q-QPJS-016	
	/	A3		3		6 6

2100-2400		1	
6-7			
5.5.2	LOGO	LOGO	
5.6			
5.7	:		
5.7.1			
	“	”	

